

Receiver

Society
Reference
Address
Phone
Fax
E-mail

From

AUSTRAL DISTRIBUTORS
DAB PUMPS, -
4 Hannigan Drive St Johns, Auckland, 1072
(09) 570 9570
(09) 572 7641
info@austral.co.nz

Item n° :

60152305.

Model :

NOVA UP 300 M-A

Pump data

Free passage : 10 mm
Pressure rating :
Min. fluid temperature : 0 °C
Max. fluid temperature : 35 °C
Max. Ambient temperature : 40 °C

Requested data

Flow :
Head :
Fluid : Water
Fluid Temperature : 20 °C
Density : 998,3 kg/m³
Kinematic viscosity : 1,005 mm²/s
Vapor pressure :



Hydraulic data (duty point)

Flow :
Head :

Materials

Pump body Technopolymer
Impeller Technopolymer
OR ring NBR
Motor top body Stainless Steel AISI 304
Rotor shaft AISI 416 X12 CrS 13 UNI EN 10088-1
V-RING NBR
Suction strainer Technopolymer

Curve tolerance according to ISO 9906



Motor data

Weight : 5,8 kg

Dimensions in mm

L1	295,3				
L2	75,9				

Pump connection

Suction side : /
Discharge side : 1 " 1/4 G / --

Receiver


From

Society
Reference
Address
Phone
Fax
E-mail

AUSTRAL DISTRIBUTORS
DAB PUMPS, -
4 Hannigan Drive St Johns, Auckland, 1072
(09) 570 9570
(09) 572 7641
info@austral.co.nz

NOVA UP 300 M-A

Curve tolerance according to ISO 9906



Suction side :

Discharge side :
1 " 1/4 G
--

Flow :

Head :

Rated speed :
2850 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

29/07/2020



DIMENSIONAL DRAWING

2020-07-29

Page 13 / 13

DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com


Receiver

From

Society
Reference
Address
Phone
Fax
E-mail

AUSTRAL DISTRIBUTORS
DAB PUMPS, -
4 Hannigan Drive St Johns, Auckland, 1072
(09) 570 9570
(09) 572 7641
info@austral.co.nz

NOVA UP 300 M-A



Dimensions in mm

Pump connection

1 L1 295,3
2 L2 75,9

Suction

Discharge
1 " 1/4 G
--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

29/07/2020